UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

GEOPHYSICAL AND LITHOLOGIC LOGS OF TWO HOLES DRILLED IN THE
WASATCH PLATEAU COAL FIELD, OLD WOMAN PLATEAU QUADRANGLE,
SEVIER COUNTY, UTAH

Ву

L. F. Blanchard and C. G. Lee

Open-File Report 78-1040

This report has not been edited for conformity with U. S. Geological Survey editorial standards or stratigraphic nomenclature.

CONTENTS

	Page
Introduction	1
References	5
Geophysical and lithologic logs	6
T. I. I. I. C. III. C.	
ILLUSTRATIONS	
Figures 1-2. Drill-hole location maps:	
1. Northern part of the Old Woman Plateau quadrangle	2
2. Southern part of the Old Woman Plateau quadrangle	3
 Columnar section of rocks in the Wasatch plateau coal field, Sevier County, Utah 	5
TABLE	
Table 1. Summary of information for two drill holes in the Wasatch Plateau coal field, Old Woman	
Plateau quadrangle, Sevier County, Utah	4

GEOPHYSICAL AND LITHOLOGIC LOGS OF TWO HOLES DRILLED IN THE WASATCH PLATEAU COAL FIELD, OLD WOMAN PLATEAU QUADRANGLE, SEVIER COUNTY, UTAH

By L. F. Blanchard and C. G. Lee

INTRODUCTION

Two holes, totaling 1,824.4 feet, were rotary drilled and cored in the Wasatch Plateau coal field, Utah, for the U.S. Geological Survey in June and July 1978. Drilling was done by Himes Drilling Co., Grand Junction, Colorado, under contract no. 14-08-0001-17342, awarded by the USGS. Geophysical logging was done by Strata Surveys, Grand Junction, Colorado, and permission to drill was granted by officials of the Fishlake National Forest, Utah. The purpose of the drilling was to obtain information on the thickness, quality, and extent of coal beds and the lithology of the enclosing rocks in the Upper Cretaceous Blackhawk Formation. The overall goal of the project is to evaluate and classify federally owned coal lands.

Drilling was done in the Old Woman Plateau quadrangle, Sevier County, Utah, using truck-mounted rotary drilling and coring rigs. Drilling fluids were air and foam for the rotary drilling and mud for the coring. Both holes were drilled adjacent to holes drilled and logged in 1977 (Blanchard, 1978)—hole no. W-LCC-12a-OWP (fig. 1) adjacent to W-LCC-12-OWP, and hole no. W-LCC-13a-OWP (fig. 2) adjacent to W-LCC-13-OWP. The core intervals were chosen from geophysical logs.

Drill-hole W-LCC-12-a-OWP was logged by geophysical methods and the suite of logs includes resistivity (RES), natural gamma (G), and density (Den). No geophysical logs were run for drill-hole W-LCC-13a-OWP. The logs were run at a scale of 1 inch to 10 feet; but, to facilitate reproduction of this report, they were reduced to 1 inch to 50 feet. All measurements are in feet; to convert to meters, multiply by 0.3048.

The age, generalized lithology, and thickness of each sedimentary unit encountered are shown in figure 3. A summary of information for the two drill holes is given in table 1.





Figure 1. -- Drill-hole location in the Wasatch Plateau coal field, northern part of the Old Woman Plateau quadrangle, Sevier County, Utah.



S

Figure 2. -- Drill-hole location in the Wasatch Plateau coal field, southern part of the Old Woman Plateau quadrangle, Sevier County, Utah.

Table 1.--Summary of information for two drill holes in the Wasatch Plateau coal field,

[FEL, from east line; FWL, from west line; FNL, from north line; FSL, from south line]

		Rotary drilled	Cored	Depth	Total
Drill-hole No.	Location	depth (ft)	interval (ft)	logged (ft)	depth (ft)
W-LCC-12a-OWP	T. 22 S., R. 4 E., sec. 34 1,750 FEL, 1,450 FNL	34 782	782–932	931	932
W-LCC-13a-OWP	T. 23 S., R. 4 E., sec. 22 900 FNL, 1,050 FWL	22 740	740-892.4		892.4




Figure 3.--Columnar section of rocks in the Wasatch Plateau coal field, Sevier County, Utah. (Modified from Spieker, 1931, plate 3.)

REFERENCES

- Blanchard, L. F., 1978, Geophysical and lithologic logs of holes drilled in the Wasatch Plateau and Emery coal fields, Johns Peak and Old Woman Plateau quadrangle, Sevier County, Utah: U.S. Geological Survey Open-File Report 78-363.
- Spieker, E. M., 1931, The Wasatch Plateau coal field, Utah: U.S. Geological Survey Bulletin 819, 219 p.

U.S. GEOLOGICAL SURVEY DRILL-HOLE LOG, SEVIER COUNTY, UTAH

Hole No. W-LCC-12a-OWP	Quadrangle Old Woman Plateau Elevation 8,310'
Location: T. 22	S., R. 4 E., sec. 34 , 1,750 FEL 1,450 FML
Rotary- drilled depth 782	Cored interval 782-932 Logged depth 931 Total depth 932
	Drilling medium air and foam
Geophysical logs:	Logging speed 20 ft/min
Resistivity (RES)	Scale 100 Ω/in
Gamma (G):	r.C. 2 sec. Scale 100 cps/1.5 in.
Density (DEN): 7	f.C. 2 sec. Scale 500 cps/in. from 0 to 931
Remarks:	

	LITHOLOGY	IP	GEOPHYSICAL LOGS			
		STRIP	G	DEN	RES	
0-782.0 782.0-789.5	Samples not described Shale, dark-gray, carbonaceous mudstone, gray, carbona- ceous and coaly stringers; sandstone, gray, very fine grained; contains carbona- ceous streaks		Garage of the state of the stat	May 3	Resistivity O dean secon Resistivity I see to the secon	
789.5-791.2	Siltstone, gray, slightly carbonaceous; sandstone, light-gray, very fine grained				-50'	
791.2-799.6	Mudstone, dark-gray, carbona- ceous at top; siltstone, gray, mottled					
799.6-810.4	Sandstone, light-gray, very fine to fine-grained; mud- stone, dark-brown, carbona- ceous, coaly				166'	
810.4-815.0	Coal			\$	1 1 1 1	
815.0-817.5	Mudstone, dark-gray, carbona- ceous			3	$\rightarrow \langle$	
817.5-819.2	Coal, shaly at base			5		
819.2-841.9	Sandstone, light-gray, very fine grained, containing thin, shaly, carbonaceous and coaly streaks; silt-stone, brown, carbonaceous, coaly; mudstone, dark-gray, carbonaceous. Individual units are 2-7' thick			The state of the s	150'	
841.9-858.9	Sandstone, light-gray, fine- grained, coaly partings; siltstone, light-gray, with coaly and shaly part- ings; lower sandstone unit contains shale clasts			Who was from the state of the	-250'	

	I Important	G G		GEOPHYS	ICAL LOGS
	LITHOLOGY	STRIP	G	DEN	RES
858.9-872.4 872.4-872.7 872.7-874.3 874.3-874.8 874.8-875.1 875.1-876.5 876.5-883.1 883.1-887.6	Mudstone, dark-gray to black, carbonaceous; increasingly fossiliferous downward (pelecypods) Coal Shale, dark-gray, carbonaceous, coaly Coal Sandstone, light-gray, with coal, thinly interbedded Coal Sandstone, light-gray, very fine grained, with carbonaceous streaks and shaly partings Siltstone, gray, with carbonaceous stringers; mudstone, gray, carbonaceous, pyritic, fossiliferous at base Sandstone, light-gray, very fine grained, fossiliferous, pyritic, carbonaceous, pyri		G	DEN	RES
895.8 895.8-932.0	ceous; coarsens downward with coaly streaks at base TOP OF STAR POINT SANDSTONE Sandstone, light-gray, brown tint at top (slightly carbonaceous), fine-grained			The state of the s	isto (
				Sold Comment of the C	600

LITHOLOGY	STRIP	GEOPHYSICAL LOGS			
LITHOLOGI	STE	G	DEN	RES	
			The state of the s	-750' \ -750'	

U.S. GEOLOGICAL SURVEY DRILL-HOLE LOG, SEVIER COUNTY, UTAH

Hole No. W-LCC-13a-OW	PQuadrang	le Old Woman Plateau	Elevation 8,250'	
Location: T. 23	S., R	4 E. sec. 22	900 FNL 1,050	
Rotary- drilled depth 740'	Cored	interval 740-892.4 L	ogged depth Tota	al depth 892.4"
		Drilling medium	air and foam	
Geophysical logs:	•	Logging speed	ft/min	
Resistivity (RE	s):	Scale		
Gamma (G):	T.C.	sec. Scale		
Density (DEN):	т.с.	sec. Scale	cps/in. from	to
Remarks: No geophy	sical log	was run		

LITHOLOGY		LP S	GEOPHYSICAL LOGS				
	LITHOLOGY	STRIP LOG	G	DEN	RES		
0-740 740-750.8	Samples not described Sandstone, light-gray, fine- grained, subangular; con- tains occasional thin interbeds of coal						
750.8-752.1	Coal, with shale partings, pyritic						
752.1-754.7	Shale, dark-gray, carbona- ceous, coaly; mudstone, gray to dark-gray, coaly. Coaliness decreases downward						
754.7-759.2	Coal, pyritic						
759.2-759.5	Siltstone, dark-gray, car- bonaceous, coaly, pyritic				3		
759.5-765.05	Siltstone, gray to dark-gray; interbedded with light- gray to gray, very fine grained sandstone				300)	>	
765.05-770.4	Mudstone, gray to black, slightly carbonaceous to coaly		1		2		
770.4-778.8	Siltstone, gray to dark- gray, carbonaceous		1	3	-350.		
778.8-778.9	Shale, black, very carbona- ceous)	
778.9-780.4	Coal, shaly						
780.4-806.3	Mudstone, gray to dark-gray, carbonaceous to very coaly at base of unit, fossil-iferous (pelecypods) between 787.9 and 803.2', with minor shale and siltstone				Specify Market		

	T TENOT OF	RIP	GEOPHYSICAL LOGS			
	LITHOLOGY	STRIP	G	DEN	RES	
806.3-807.8	Coal, shaly and pyritic at base					
807.8-808.9	Mudstone, dark-gray, coaly					
808.9-812.7	Sandstone, light-gray, very fine grained; shale, gray slightly carbonaceous, containing leaf fossils; siltstone, gray, with carbonaceous stringers					
812.7-819.75	Sandstone, light-gray, very fine grained, slightly carbonaceous					
819.75-824.1	Mudstone, gray, carbona- ceous, fossiliferous at base (pelecypods)					
824.1-824.6	Coal					
824.6-827.45	Shale, gray, carbonaceous, coaly; siltstone, gray, pyritic; sandstone, very fine grained, pyritic, with coaly stringers					
827.45-840.5	Mudstone, gray to black, silty at top, carbonaceous, fossiliferous (pelecypods); siltstone, gray to dark- gray, carbonaceous, pyritic					
840.5-848.2	Sandstone, light-gray, fine- grained, fossiliferous (oysters), carbonaceous streaks at base					
848.2-850.45	Siltstone, dark-gray, car- bonaceous, containing sandstone blebs					
850.45 850.45-872.65	TOP OF STAR POINT SANDSTONE Sandstone, light-gray, very fine grained, carbona- ceous stringers, pyritic, fossiliferous (oysters), coaly in places					
872.65-873.7	Coal, shaly at very top					
873.7-873.9	Shale, dark-gray, carbona- ceous, coaly					
					221.7	

	LITHOLOGY		G	EOPHYSICA	AL LOGS
		STRIP	G	DEN	RES
873.9-886.7	Sandstone, light-gray, very fine grained, containing carbonaceous stringers and very thin carbona- ceous shale partings	 	– 750		
886.7-892.4	Sandstone, gray, fine- to medium-grained, slightly salt-and-peppery colored		- 800		
			- 850		
			900		